: 10/063,718

Filed

: May 8, 2002

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) An isolated nucleic acid having at least 80% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);
- (b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;
 - (e) the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93);
- (f) the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93); or
- (g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229;

wherein said isolated nucleic acid is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue, or wherein said isolated nucleic acid encodes a polypeptide that is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue.

- 2. (Currently Amended) The isolated nucleic acid of Claim 1 having at least 85% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);
- (b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

10/063,718

Filed :

May 8, 2002

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

- (e) the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93);
- (f) the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93); or
- (g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229;

wherein said isolated nucleic acid is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue, or wherein said isolated nucleic acid encodes a polypeptide that is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue.

- 3. (Currently Amended) The isolated nucleic acid of Claim 1 having at least 90% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);
- (b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;
 - (e) the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93);
- (f) the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93); or
- (g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229;

wherein said isolated nucleic acid is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue, or wherein said isolated nucleic acid

: 10/063,718

Filed

May 8, 2002

encodes a polypeptide that is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue.

- 4. (Currently Amended) The isolated nucleic acid of Claim 1 having at least 95% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);
- (b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;
 - (e) the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93);
- (f) the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEO ID NO:93); or
- (g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229;

wherein said isolated nucleic acid is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue, or wherein said isolated nucleic acid encodes a polypeptide that is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue.

- 5. (Currently Amended) The isolated nucleic acid of Claim 1 having at least 99% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);
- (b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;

Appl. No. : Filed :

10/063,718 May 8, 2002

(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;
 - (e) the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93);
- (f) the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEO ID NO:93); or
- (g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229;

wherein said isolated nucleic acid is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue, or wherein said isolated nucleic acid encodes a polypeptide that is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue.

- 6. (Currently Amended) An isolated nucleic acid comprising:
- (a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);
- (b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;
 - (e) the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93);
- (f) the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93); or
- (g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229.

Appl. No. : 10/063,718 Filed : May 8, 2002

7. (Currently Amended) The isolated nucleic acid of Claim 6 comprising a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94).

- 8. (Currently Amended) The isolated nucleic acid of Claim 6 comprising a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide.
- 9. (Currently Amended) The isolated nucleic acid of Claim 6 comprising a nucleic acid sequence encoding the extracellular domain of the polypeptide shown polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257.
- 10. (Currently Amended) The isolated nucleic acid of Claim 6 comprising a nucleic acid sequence encoding the extracellular domain of the polypeptide shown polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257.
- 11. (Currently Amended) The isolated nucleic acid of Claim 6 comprising the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93).
- 12. (Currently Amended). The isolated nucleic acid of Claim 6 comprising the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93).
- 13. (Original) The isolated nucleic acid of Claim 6 comprising the full-length coding sequence of the cDNA deposited under ATCC accession number 203229.
- 14. (Currently Amended) An isolated nucleic acid that hybridizes <u>under stringent</u> conditions to:
- (a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);
- (b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

10/063,718

Filed

: May 8, 2002

(e) the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93);

(f) the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229;

wherein said stringent conditions comprise 50% formamide, 5 x SSC (0.75 M NaCl, 0.075 M sodium citrate), 50 mM sodium phosphate (pH 6.8), 0.1% sodium pyrophosphate, 5 x Denhardt's solution, sonicated salmon sperm DNA (50 µg/ml), 0.1% SDS, and 10% dextran sulfate at 42°C, with washes at 42°C in 0.2 x SSC (sodium chloride/sodium citrate) and 50% formamide at 55°C, followed by a high-stringency wash consisting of 0.1 x SSC containing EDTA at 55°C.

- 15. (Canceled).
- (Original) The isolated nucleic acid of Claim 14 which is at least 10 nucleotides 16. in length.
 - (Original) A vector comprising the nucleic acid of Claim 1. 17.
- (Original) The vector of Claim 17, wherein said nucleic acid is operably linked to 18. control sequences recognized by a host cell transformed with the vector.
 - (Original) A host cell comprising the vector of Claim 17. 19.
- (Original) The host cell of Claim 19, wherein said cell is a CHO cell, an E. coli or 20. a yeast cell.